

Welcome to Excel²⁰¹⁰ Manual



Aprende con Alf
Ediciones

Alfredo Sánchez Alberca

Excel Manual

Alfredo Sánchez Alberca (asalber@gmail.com).

2015 September

Get the last version of this manual on: <http://aprendeconalf.es/office/excel/manual/>



This work is licensed under an Attribution-NonCommercial-ShareAlike 4.0 International Creative Commons License. <http://creativecommons.org/licenses/by-nc-sa/4.0/>

You are free to:

- *Share* — copy and redistribute the material in any medium or format
- *Adapt* — remix, transform, and build upon the material

Under the following terms:

- Ⓒ **Attribution.** You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.
- Ⓓ **NonComercial.** You may not use the material for commercial purposes.
- Ⓔ **ShareAlike.** If you remix, transform, or build upon the material, you must distribute your contributions under the same license as the original.

No additional restrictions — You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits.

Contents

List of Figures	v
1 Introduction to Excel	1
1.1 What is a spreadsheet?	1
1.2 Excel 2010 main window	2
1.3 Excel 2010 ribbon	2
1.3.1 Contextual tabs	4
1.3.2 Access dialogs	5
1.3.3 Contextual menu	5
1.4 Workbooks, worksheets, rows, columns and cells	7
1.4.1 Ranges of cells	7
1.4.2 Selecting cells, rows, columns, ranges and worksheets	8
1.5 Data edition	9
1.5.1 Insert data	9
1.5.2 Delete data	9
1.5.3 Remove cells, rows, columns and worksheets	9
1.5.4 Insert cells, rows, columns and worksheets	10
1.5.5 Cut, copy and paste	10
1.5.6 Autofill	10
1.5.7 Undo and redo	11
1.6 Column and row sizing	11
1.7 File management	11
1.7.1 Save a file	11
1.7.2 Open a file	12
1.7.3 Create a new workbook	12
1.7.4 Close a workbook	12
1.8 Exporting and importing data	12
1.8.1 Export to csv format	12
1.8.2 Import from csv format	12
1.9 Getting help	13

2	Formatting data	15
2.1	Data types	15
2.1.1	Formatting numbers	15
2.1.2	Formatting dates and times	16
2.1.3	Formatting text	16
2.2	Align cell contents	17
2.2.1	Horizontal alignment	17
2.2.2	Vertical alignment	18
2.3	Font properties	18
2.4	Borders and background	19
2.5	Merge cells	20
2.6	Copy and paste format	21
2.7	Conditional formatting	21
2.8	Predefined styles	22
3	Calculus with formulas	23
3.1	Enter formulas	23
3.2	Using relative and absolute cell references in formulas	24
3.2.1	Naming cells and ranges	25
3.3	Functions	25
3.4	Numeric functions	26
3.4.1	SUM function	26
3.4.2	SUMIF function	27
3.4.3	COUNT function	27
3.4.4	COUNTIF function	27
3.4.5	MIN function	27
3.4.6	MAX function	28
3.4.7	ISNUMBER function	28
3.5	Logical functions	28
3.5.1	IF function	28
3.5.2	AND function	29
3.5.3	OR function	29
3.5.4	NOT function	30
3.6	Date and time functions	30
3.6.1	Time elapsed between two dates or times.	30
3.6.2	TODAY function	30
3.6.3	DATE function	31
3.6.4	DAY, WEEKDAY, MONTH and YEAR functions	31
3.6.5	NOW function	31
3.6.6	TIME function	32
3.6.7	HOUR, MINUTE and SECOND functions	32
3.7	Text functions	32
3.7.1	TEXT function	32
3.7.2	VALUE function	32

3.7.3	T function	33
3.7.4	ISTEXT function	33
3.7.5	LEN function	33
3.7.6	CONCATENATE function	33
3.7.7	FIND and SEARCH functions	33
3.7.8	SUBSTITUTE functions	34
3.7.9	LOWER and UPPER functions	34
3.8	Database functions	34
3.9	Mathematical functions	34
3.9.1	SQRT function	35
3.9.2	EXP function	35
3.9.3	LN and LOG functions	35
3.9.4	PI function	35
3.9.5	SIN, COS and TAN functions	35
3.9.6	ROUND function	36
3.9.7	ABS function	36
3.10	Statistical functions	36
3.10.1	AVERAGE function	36
3.10.2	AVERAGEIF function	37
3.10.3	MEDIAN function	37
3.10.4	MODE function	37
3.10.5	PERCENTILE.EXC function	37
3.10.6	VAR.P function	38
3.10.7	STDEV.P function	38
3.10.8	SKEW function	38
3.10.9	KURT function	38
3.11	Other functions	39
3.11.1	ISBLANK function	39
3.11.2	ISERROR function	39
3.12	Auditing formulas	39
3.12.1	Tracing formulas	40
3.12.2	Error checking	40
3.12.3	Formula evaluation	41
4	Plotting charts	43
4.1	Charts creation	43
4.2	Types of charts	44
4.2.1	Column and bar charts	45
4.2.2	Line charts	45
4.2.3	Area charts	46
4.2.4	Pie charts	47
4.2.5	Doughnut charts	48
4.2.6	XY Scatter charts	48
4.2.7	Histograms	48

4.3	Chart design	49
4.3.1	Changing the data source	49
4.3.2	Switching rows and columns	49
4.4	Chart layout	50
4.4.1	Titles	50
4.4.2	Axes	50
4.4.3	Grid	51
4.4.4	Legends	51
4.4.5	Data series	52
4.4.6	Data labels	52
4.4.7	Chart styles	52
5	Managing databases	53
5.1	Database creation in Excel	53
5.2	Data validation	54
5.3	Importing databases	55
5.3.1	Importing data from csv text files	55
5.3.2	Importing from web data sources	55
5.3.3	Importing data from Qandl	55
5.4	Data sorting	55
5.5	Summarizing data	56
5.5.1	Totaling and subtotaling fields	56
5.5.2	Pivot tables	57
5.5.3	Pivot chart	58
5.6	Data filtering	59
5.6.1	Apply a simple filter	59
5.6.2	Apply a complex filter	60
5.6.3	Clear a filter	60
5.7	Database functions	60
5.7.1	Define a criteria	61
5.7.2	DSUM function	61
5.7.3	DCOUNT function	61
5.7.4	DMIN function	61
5.7.5	DMAX function	62
5.7.6	DAVERAGE function	62
5.7.7	DSTDEVP function	62
5.7.8	DGET function	62
5.7.9	VLOOKUP and HLOOKUP functions	63

List of Figures

1.1	Excel 2010 screenshot.	2
1.2	Excel 2010 quick access toolbar.	6
1.3	Font dialog.	6
1.4	Cells contextual menu.	7
1.5	Cells, rows, columns and worksheets in Excel.	8
1.6	Range of cells.	8
1.7	Excel 2010 help.	13
2.1	Number dialog.	16
2.2	Alignment dialog.	17
2.3	Horizontal alignment buttons.	17
2.4	Vertical alignment buttons.	18
2.5	Font dialog.	18
2.6	Border dialog.	19
2.7	Fill dialog.	20
3.1	Name box for giving names to cells or ranges.	25
3.2	Insert function dialog.	26
4.1	Example pie chart comparing fruit prices.	45
4.2	Example pie chart comparing fruit prices.	46
4.3	Example pie chart comparing fruit prices.	47
4.4	Example of pie chart comparing fruit prices.	47
4.5	Example of doughnut chart comparing fruit prices.	48
4.6	Example of XY scatter chart relating banana and strawberry prices.	49
4.7	Parts of a chart.	50

Introduction to Excel

Excel is a spreadsheet application that is part of the Microsoft Office suite.



1.1 What is a spreadsheet?

A **spreadsheet** is a program that allows to enter data and make calculations with them in a grid layout.

There are a lot of programs for managing spreadsheets but the most famous are **Excel**, in the Microsoft Office suite, and **Calc**, in the LibreOffice suite. Although Calc is opensource,

1 Introduction to Excel

with all the advantages associated therewith, Excel is by far the most widespread and mature spreadsheet, thus this manual covers Excel 2010. However, some of the procedures and methods explained in this manual are also valid for Calc.

1.2 Excel 2010 main window

The figure 1.1 shows a screenshot of the Excel 2010 main window where the different parts of the window have been highlighted.





Figure 1.1: Excel 2010 screenshot.


1.3 Excel 2010 ribbon

The top ribbon of Excel 2010 contains a lot of buttons that performs different actions. These buttons are arranged in panels, and panels are arranged in tabs. The main ribbon tabs are:


File – Performs file management tasks (new file, open file, save file, print file, etc.). It also contains general configuration options and help.




Home – Common tools (clipboard, fonts, alignment, numbers format, insert rows and columns, etc.)



Insert – Insert objects in the sheet (tables, illustrations, charts, hyperlinks, text, equations, etc.)




Page Layout – Configure the printing (page setup, scale, themes, etc.)




1 Introduction to Excel

Formulas – Functions arranged in categories and formula auditing.




Data – Working with databases (import data, connection with databases, sort and filter data, data validation, etc.)



Review – Spelling, commenting, protecting and sharing sheets.



View – How Excel appears on screen (custom windows, grids lines, zoom, windows, etc. Does not affect printing).



1.3.1 Contextual tabs

These tabs only appears in some contexts, as for example, when creating a chart or a picture.

Chart design Allows to select the type of chart.




Chart layout Allows to insert and configure some parts of charts (title, axis, legend, gridlines, etc.)






Chart format Allows to change the aspect of charts (height, width, font, colors, background, etc.)



Picture Allows to modify images (borders, rotation, crop, color, filters, special effects, etc.)



In addition to these tabs, users can create their own tabs and customise them with buttons as their convenience.

There exists also a quick access toolbar just above the ribbon that can be customised with the most common buttons (see figure 1.2).

1.3.2 Access dialogs

When you click the right bottom corner of any panel, the corresponding dialog is shown where all the related options are available.

Example. The figure 1.3 shows the font dialog with all the options related to fonts (font family, font style, font size, etc.)

1.3.3 Contextual menu

Clicking the right button of the mouse (right-clicking) a contextual menu is shown with some buttons or options to perform actions in that context. This menu has different options depending on the part of the windows that is clicked.

Example. The figure 1.4 shows the contextual menu shown right-clicking any cell.

1 Introduction to Excel




Figure 1.2: Excel 2010 quick access toolbar.




Figure 1.3: Font dialog.

1.4 Workbooks, worksheets, rows, columns and cells




Figure 1.4: Cells contextual menu.

1.4 Workbooks, worksheets, rows, columns and cells

An Excel file is a *workbook* with several *worksheets* that are two dimensional tables divided in *columns* and *rows*. The intersection of a column with a row is a *cell* that is where data are entered. Sheets have a maximum of 16,384 columns and 1,048,576 rows.

Each worksheet has a name and are arranged in tabs at the bottom. Columns and rows have also names; columns are named with letters at the top of the column and rows with numbers to the left of the row. This way each cell is identified by the name of the worksheet, the name of the column and the name of the row where is located, and cells names follow the pattern name-of-worksheet ! column-name row-name. However, to refer to any cell in the active worksheet, the worksheet name may be omitted.

Example. The name of the selected cell in the figure 1.5 is Sheet1!C4.

The names of rows and columns can not be changed, but worksheet names can be changed double-clicking it and typing the new name.

1.4.1 Ranges of cells

A range of cells is a rectangular block of adjacent cells that is identified by top-left cell and the bottom-right cell separated by a colon, following the pattern top-left-cell-name:bottom-right-cell-name.

1 Introduction to Excel




Figure 1.5: Cells, rows, columns and worksheets in Excel.

Example. In the figure 1.6 the range B3:E5 is selected.




Figure 1.6: Range of cells.

1.4.2 Selecting cells, rows, columns, ranges and worksheets

To select a cell just click it. To select a row click the header of the row or press the keys Shift+Spacebar. To select a column click the header of the column or press the keys Ctrl+Spacebar. To select a range click one corner cell and drag the cursor over the desired cells. To select the whole worksheet click the top-left corner of the worksheet or press the keys Ctrl+A.

Example. This [animation](#) shows how to select the cell C3, after the row 3, after the column C, after range B3:D7 and finally the whole worksheet.

1.5 Data edition

1.5.1 Insert data

Data are entered into the cells activating the cell (clicking it) and typing directly in the cell or in the input bar.

Example. This [animation](#) shows how to enter the text 'Excel' in cell B2 and the number 2010 in cell C2, and after change the number of cell C2 to 2013.

Excel has a smart autocomplete feature that proposes completing the data that is typed with some predictions.

1.5.2 Delete data

To delete the content of a cell or a range of cells simply select the it and press Supr key. It's also possible to delete the cell contents with the button `Clear All`.

1.5.3 Remove cells, rows, columns and worksheets

To remove a whole cell (no only the content), right-click the cell and select the option `Delete...`. In the dialog that appears select `Shift cells left` if you want the cells to the left of the removed cell move to the left to fill the gap, or `Shift cells up` if you want the cells below the removed cell move up to fill the gap.

To remove a whole row, right-click the header of the row and select the option `Delete...`

To remove a whole column, right-click the header of the column and select the option `Delete...`

To remove a worksheet, right-click the tab with the name of the worksheet and select the option `Delete...` *Warning: Removing worksheets can not be undone!*

Example. This [animation](#) shows how to remove a cell, a row, a column and a worksheet.

1.5.4 Insert cells, rows, columns and worksheets

To insert a new cell in a position, right-click the current cell in that position and select the option **Insert...** In the dialog that appears select **Shift cells right** if you want to move the cells to the right to make a gap for the new cell, or **Shift cells down** if you want to move the cells down to make a gap for the new cell.

To insert a new row, right-click the header of the row above which you want to insert the new row and select **Insert**.

To insert a new column, right-click the header of the column to the left of which you want to insert the new column and select **Insert**.

To insert a new worksheet, right-click the tab with the name of the worksheet to the left of which you want to insert the new worksheet and select **Insert**. In the dialog that appears select 'Worksheet'.

Example. This [animation](#) shows how to insert a cell, a row, a column and a worksheet.

1.5.5 Cut, copy and paste

Like in many other Windows applications, you can use the clipboard to cut, copy and paste cells, rows, columns and ranges contents.

To cut or copy a cell, row, column or range, right-click it and select the option **Cut** or **Copy** respectively, or press the keys **Ctrl+x** or **Ctrl+c** respectively. Both options copy the content of the cell, row, column or range to the clipboard, but the difference between cut and copy is that cut delete the content from the current cell, row, column or range, while copy no.

To paste the content of the clipboard in a new cell, row, column or range, select the cell or the first cell of the row, column or range and click the button **Paste** or press the keys **Ctrl+v**.

Example. This [animation](#) shows how to copy and paste the content of a cell, a row, a column and a range and a worksheet.



1.5.6 Autofill

An useful feature of Excel is the autofill of cells following a serie or pattern. In some cases, like for example dates, it is enough to write the content of the first cell and then click the bottom-right corner of the cell and drag the cursor over the column or row to get the cells filled with the following dates.

For number or text, this actions replicates the content of the first cell in the others. To autofill with a serie of numbers is necessary to enter the first two numbers of the serie in two consecutive cells, then select both cells, click the bottom-left corner and drag the cursor over the column or row to get the cells filled with the numbers following the serie.

Example. This [animation](#) shows how to replicate the content of cell A1 to range A2:A10, next how to auto fill the range B1:B10 with the following dates to the date in cell B1, and finally how to auto fill the range C1:C10 with the serie of even numbers.

1.5.7 Undo and redo

In the quick access toolbar there are buttons Undo  and Redo . The Undo button undoes the last data edition action performed and the Redo button reverses the last undone action. If you press the undo button several n times, it undoes the last n actions, and the same happens with the redo button.

Example. This [animation](#) shows how to remove the content of cell B2, then change the content of cell C2 two times, then undo that actions and finally redo the same actions.

1.6 Column and row sizing

Columns width and rows height can be easily changed. To change the width of a column click the line between the column you want to resize and the next column in the column header, and then drag the pointer mouse to increase or reduce the column width. If you double-click this line the column width will auto resize to the width of the widest cell content in the column.

In a similar way, to change the height of a row click the line between the row you want to resize and the next row in the row header, and then drag the pointer mouse to increase or reduce the row height. If you double-click this line the row height will auto resize to the height of the highest cell content in the row.

Example. This [animation](#) shows how to resize the width of column C and the height of row 3 to fit the content of cell C3.

1.7 File management

Data of workbooks are stored in files. Although Excel makes backups copies of your work regularly, is a good practice to save your work in files often.

1.7.1 Save a file

To save the content of a workbook in a file press the tab **File** and select the option **Save**. In the dialog that appears type the file name and select the storage unit and folder where to save the file. The default extension for Excel 2010 file names is *xlsx*.

1.7.2 Open a file

To open an Excel file press the tab **File** and select the option **Open**. In the dialog that appears select the storage unit and folder where the file is saved and the file to open, and press the button **Open**.

1.7.3 Create a new workbook

To create a new workbook press the tab **File** and select the option **New**. In the dialog that appears select **Blank workbook**. It's possible to create new workbooks from predefined templates.

1.7.4 Close a workbook

To close an open workbook press the tab **File** and select the option **Close**. If the last changes in the workbook haven't been saved, a warning will appear allowing you to save the file before to close it.

1.8 Exporting and importing data

Excel can export and import data in many formats. One of the most common formats is csv (comma separated values). In this format data is saved in a plain text file one row per line and separating columns with commas or semicolons.

1.8.1 Export to csv format

To export a worksheet to csv format file, click the option **Save as** of the ribbon's **File** tab. In the dialog that appears select the option **CSV (Comma delimited) (*.csv)** from the drop-down list **Save as type**, give a name to the file, select the folder where to save it and click **OK**.

Example. This [animation](#) shows how to export a worksheet with a students database to a csv format file.

1.8.2 Import from csv format

To import csv format file click the option **Open** of the ribbon's **File** tab. In the dialog that appears click the button to the right of the **File name** box and select the option **Text Files (*.prn;*.txt;*.csv)**, select the csv format file and click **OK**.

If you want more control in the importation process, click the **From Text** button of the **Get External Data** in the ribbon's **Data** tab. In the dialog that appears select the csv format file and

click the **Import** button. This brings another dialog where you can select if fields are delimited by a special character or are a fixed number of characters, the delimiter character (Tab, Semicolon, Comma, Space or other), the data format or every column (General, Text or Date). After that click the **Finish** button and in the dialog that appears select the cell where to put the imported data and click **OK**.

Example. This animation shows how to import the csv format file with the students database of the previous example.

1.9 Getting help

One of the most useful features of Microsoft Office programs is the system of help that they have. To get help about any issue in Excel click the option **Help** in the **Help** tab of the ribbon, and then click **Microsoft Office Help**. This shows a browser where you can enter some key words and Excel will search topics related to these words and present the search results in a list. Clicking the desired topic will show you help info about that topic.

Example. The figure 1.7 shows the help search results for the word “cell”.




Figure 1.7: Excel 2010 help.

Formatting data

Content of cells can be formatted in many ways: changing the data type, the font family, the alignment, the color, the border, etc. Most formatting options are grouped in the *Format Cells* dialog. To show this dialog click the bottom right corner of the Font panel in the ribbon's Home tab.

2.1 Data types

Excel manages several data types. The most common are numbers, dates and times, and text. All available data types are in the *Number* tab of the *Format Cells* dialog (see figure 2.1).

2.1.1 Formatting numbers

By default cells with numeric content are of type *Number*, but there are other numeric types like *Currency* and *Accounting*. *Number* is used for general display of numbers, while *Currency* and *Accounting* are used for monetary values. In all cases you can specify the number of decimal places. For monetary values you can also specify the symbol for the currency (€ by default).

Example. The table in this [animation](#) shows the price of fruits during several months and the average price. The animation shows how to change the format of prices to currency type with 3 decimal places.

2 Formatting data




Figure 2.1: Number dialog.

2.1.2 Formatting dates and times

By default cells with content following the pattern `day/month/year` are of type *Date*, but there are a lot of ways of formatting dates, like for example, `year-month-day` or `day-month_name-year` etc.

Example. The table in this [animation](#) shows the price of fruits during several months and the average price. The animation shows how to change the format of dates following the pattern `Month-Year`, with the three first letters of months and the two last digits of years.

By default cells with content following the pattern `hours:minutes:seconds` are of type *Time*, but there are a several ways of formatting times.

2.1.3 Formatting text

By default cells with non numeric content are of type *Text*. It's possible to apply this type even to numbers, like for example phone numbers.

Text entered in a cell spreads to adjacent cells to the right if these cells have no content. To confine text to a certain width in the cell, select the cell and click the button `Wrap Text` in the `Alignment` section in the ribbon's `Home` tab.

2.2 Align cell contents

By default numbers are aligned to the right and text to the left, but it's possible to change the alignment of cell contents in the **Alignment** tab of the **Format Cells** dialog (see figure 2.2).




Figure 2.2: Alignment dialog.

2.2.1 Horizontal alignment

To change the horizontal alignment select Left, Right, Center or Justify in the Horizontal drop down list of the **Alignment** tab. You can also align the cell contents with the buttons of the **Alignment** panel in the **Home** tab of the ribbon (see figure 2.3).




Figure 2.3: Horizontal alignment buttons.

Example. The table in this [animation](#) shows the price of fruits during several months and the average price. The animation shows how to align the average prices centered.

2.2.2 Vertical alignment

To change the vertical alignment select Top, Bottom, Center or Justify in the Vertical drop down list of the Alignment tab. You can also align the cell contents with the buttons of the Alignment panel in the Home tab of the ribbon (see figure 2.4).




Figure 2.4: Vertical alignment buttons.

2.3 Font properties

To format the font of cell contents select the font family, font style, font size and font color from the Font tab of the Format Cells dialog (see figure 2.5). You can also apply some effects like underline, superscript and subscript.




Figure 2.5: Font dialog.

It's also possible to change the font family, style, size and color from the Font panel in the ribbon's Home tab, and also with the contextual toolbar that appears right-clicking the cell.

Example. The table in this [animation](#) shows the price of fruits during several months and the average price. The animation shows how to change the font family of all table to Arial, size 10 pt.

And this [animation](#) also shows how to change the font style of average prices to bold and the color of fruits names to blue.

2.4 Borders and background

To format the borders of cells select the line style and color, and click the borders where to apply that line in the table of the Borders tab in the Format Cells dialog (see [figure 2.6](#)).





Figure 2.6: Border dialog.

It's also possible to change the border of cells with the Border button  of the Font panel in the ribbon's Home tab, and also with the contextual toolbar that appears right-clicking the cell.

Example. The table in this [animation](#) shows the price of fruits during several months and the average price. The animation shows how to put lines to some cell borders.

To format the background of cells select the background color and pattern style in the Fill tab of the Format Cells dialog (see [figure 2.7](#)).

2 Formatting data





Figure 2.7: Fill dialog.

It's also possible to change the background color of cells with the Background colour button  of the Font panel in the ribbon's Home tab, and also with the contextual toolbar that appears right-clicking the cell.


Example. The table in this [animation](#) shows the price of fruits during several months and the average price. The animation shows how set the background colour of some cells.

2.5 Merge cells

To merge several cells in one, select the range of cells and click the button Merge & Center in the Alignment section in the ribbon's Home tab. If there are more than one cell with content in the range, merging will keep the content of the upper-left cell only. By default content of merged cells is centered.

Example. The table in this [animation](#) shows the price of fruits during several months and the average price. The animation shows how merge the cells of the first row and center the title.

2.6 Copy and paste format

To apply the format of a cell to others select the cell, click the **Format painter** button  to copy the cell format. Then then select the range of cells to paste the that format.

Example. The table in this [animation](#) shows the price of fruits during several months and the average price. The animation shows how to apply the same format of the fruit rows to a new row for pineapples.

2.7 Conditional formatting

Excel allows to apply a format to a cell depending on its value and according to some rules. To set a new rule click the **Conditional Formatting** button and select **New Rule**. There are different types of rules:

- **Format all cells based on their value** Applies a format style based on the value of the cell. There are 4 types of styles:

- *2-Color Scale* Applies a colour in a continuous scale ranging from one colour for the minimum value or percentage to other colour for the maximum value or percentage.

Example. The table in this [animation](#) shows the price of fruits during several months and the average price. The animation shows how to apply to prices a colour background in a continuous scale from green (the minimum price) to red (the maximum price).

- *3-Color Scale* The same than 2-Color Scale but with a third intermediate colour in the scale.
- *Data bar* Plots an horizontal bar in each cell with a length proportional to the value of the cell.

Example. The table in this [animation](#) shows the price of fruits during several months and the average price. The animation shows how to apply to prices a data bar format.

- *Icon Sets* Divide the distribution of selected cell values in several parts according to intervals or percentiles, assign an different icon to each part, and plot the corresponding icon in each cell.

Example. The table in this [animation](#) shows the price of fruits during several months and the average price. The animation shows how to apply to prices an icon set format. The icon set has three icons: red is applied to values under the 33 percentile, yellow is applied to values between 33 and 67 percentiles, and green is applied to values over 67 percentile.

2 Formatting data

- **Format only cells that contain** Applies a format to the cell if satisfies a logical condition.

Example. The table in this [animation](#) shows the price of fruits during several months and the average price. The animation shows how to apply to prices higher than 2 a red colour.

- **Format only top or bottom ranked values** Applies a format to a number or percentage of top or bottom values.

Example. The table in this [animation](#) shows the price of fruits during several months and the average price. The animation shows how to apply to the three top higher prices a red colour.

- **Format only values that are above or below average** Applies a format to cells with values above or below the average of selected cells.

Example. The table in this [animation](#) shows the price of fruits during several months and the average price. The animation shows how to apply a red colour to prices above the average and a green colour to prices below the average.

2.8 Predefined styles

Excel has a lot of predefined styles for formatting cells and tables. To apply a predefined cell style click **Cell Styles** button and select the desired style. It's possible to define new cell styles. For that select the cell with the format to define as a style, click **Cell Styles** button and select **New Cell Style** option. In the dialog that appears just give a name to the new style, press OK, and the new cell style will appear in the cell styles menu.

To apply a predefined table style click **Format as Table** button and select the desired style. It's also possible to define new table styles. For that click **Format as Table** button and select **New Table Style** option. In the dialog that appears just give a name to the new style, define the table format (font, borders and fill), press OK, and the new table style will appear in the table styles menu.

Calculus with formulas

Spreadsheets are used mainly for doing calculations and one of the most powerful features of spreadsheets are calculation formulas. In this section we will see how to use them.

3.1 Enter formulas

To enter a formula in a cell always start typing an equal sign = and then the formula expression.

Formula expressions can contain arithmetic operators: addition +, subtraction -, multiplication *, division / and powers ^ and named predefined functions like SUM, EXP, SIN, etc. This allow to use Excel as a calculator. When Excel evaluates expressions first evaluate named functions, then powers, then products and quotients, and finally additions and subtractions, but it's possible to use parenthesis to force the evaluation of a subexpression before.

Example Assuming that cells A1, B1 and C1 contain the values 6, 3 and 2 respectively, the next table shows some formulas and their respective results.

Formula	Result
A1+B1-C1	7
A1+B1*C1	12
(A1+B1)*C1	18
A1/B1-C1	0

$A1/(B1-C1)$	6
$A1+B1^{\wedge}C1$	15
$(A1+B1)^{\wedge}C1$	81

Example. This [animation](#) shows how to enter the formula 4+2 in cell A1, the formula 4-2 in cell B1, the formula 4*2 in cell C1, the formula 4/2 in cell D1, the formula 4^2 in cell E1 and the formula ((4+1)*2)^3 in cell F1.

3.2 Using relative and absolute cell references in formulas

Formula expressions can content references to cells. When Excel evaluates formulas it replace every cell reference by its content before doing the calculation.

Example. This [animation](#) shows how to use the formula =A1+B1 to add up the content of cells A1 and B1 in cell C1.

References that are formed by the name of the cell or range are known as *relative references*, because referenced cells change when you copy a cell with a formula and paste in another cell. In general, when you copy a formula n columns to the right and m rows down, the referenced cells in the formulas will be updated by the cells n columns to the right and m rows down, an the same if you copy the cell to the left or top.

Example. This [animation](#) shows how to copy the formula =A1+B1 in cell C1, with relative references to A1 and B1, to the cell E4, that is 2 columns to the right and 3 rows down. Observe how the formula in cell E4 is updated to =C4+D4.

A common way of copying the formula of a cell to adjacent cells is clicking the bottom-right corner of the cell and dragging the cursor to the desired range of cells.

Example. This [animation](#) shows how to generate the first ten numbers of the Fibonacci sequence. Cells A1 and B1 contains the two first numbers of the serie and cell C1 the formula =A1+B1 that add the two first numbers up and gives the third number of the serie. For generating the rest of the serie it is enough to copy the formula of cell C1 to the range D1:J1. Observe how references in formulas of these cells are updated.

Although relative references are very helpful in many cases, sometimes we need the references in a formula to remain fixed when copied elsewhere. In that case we need to use *absolute references*, that are like relative references but preceding the column name or the row name with a \$ sign to fix either the row, the column or both on any cell reference.

Example. This [animation](#) shows how to calculate the IVA of a list of prices. Cells A2 to A5 contains the prices and cell F1 contains the IVA percentage. For calculating the IVA of first price

we use the formula $A2 * F\$4 / 100$ where we fix the row of cell F4 because we want it remain fixed when copying the formula down. Observe how the reference to cell F4 doesn't change when copying the formula down.

Example. This [animation](#) shows how to calculate the multiplication table using absolute references.

In general, if you want to fix a reference in a formula that you pretend to copy horizontally, you must precede the column name with a \$ sign; and if you pretend to copy the formula vertically, you must precede the row name with a \$ sign.

3.2.1 Naming cells and ranges

Cell references are somewhat abstract, and don't really communicate anything about the data they contain. This makes formulas that involve multiple references difficult to understand. To overcome this difficulty Excel allows to give name to cells or ranges. To define a cell or range name, select or cell range and click the Define Name button of the Defined Names panel in the ribbon's Formulas tab. In the dialog that appears give a name to the cell and click OK. Cell or range names must begin with a letter and can't include spaces.

You can also set the name of a cell or range in the name box of the input bar (see figure 3.1).



Figure 3.1: Name box for giving names to cells or ranges.

After that you can use that cell or range name in any formula. Observe that references with names are always absolutes.


Example. This [animation](#) shows how to calculate the IVA of a list of prices using a cell name for the cell that contains the IVA percentage.

3.3 Functions

Excel has a huge library of predefined functions that performs different calculations organised by categories. There are three ways to enter a function in a formula expression:

- Type it rawly if you know its name and syntax.
- Select it from the buttons of the Functions Library panel in the ribbon's Formulas tab.

3 Calculus with formulas



- Click the Insert Function button fx from the input bar. This will show you a dialog where you can type some key words for looking the desired function and select it (see figure 3.2). This dialog also shows help about the function and its syntax.




Figure 3.2: Insert function dialog.

3.4 Numeric functions

Numeric functions work with numbers or cells that contains numbers. They are the most frequently used.

3.4.1 SUM function

The most common function is SUM that calculates the sum of several numbers. Its syntax is $SUM(number1, number2, \dots)$ where $number1$, $number2$, etc. are the numbers or cell ranges that you want to sum.

Example This [animation](#) shows how to calculate the sum of the subject grades for every student in a course.

3.4.2 SUMIF function

The SUMIF function is similar to the SUM function but only sum numbers that satisfied a given criterion. Its syntax is SUMIF(range,criterion,sum-range) *range* is the cell range to check the criterion, *criterion* is the condition expression of the criterion, *sum-range* is the range with the values to sum (if this argument is not provided, the sum is calculated over the values of the *range* argument that meet the criterion).

The expression with the condition can be a number, a cell reference, a logical expression starting with a logical operator (=,>,<,>=,<=,<>) in double quotes, or a pattern text with wildcards like the question mark ? (that matches any character) or the asterisk * (that matches any character string) in double quotes.

Example This [animation](#) shows how to calculate the sum of the grades greater than or equal to 5 for every student in a course.

3.4.3 COUNT function

The COUNT function counts the number of cells with numbers in a range. Its syntax is COUNT(value1,value2,...) where *value1*, *value2*, etc. are the values or cell ranges to count.

Example This [animation](#) shows how to calculate the number of subjects grades for every student in a course.

3.4.4 COUNTIF function

The COUNTIF function is similar to the COUNT but only counts number of cells that satisfied a given criterion. Its syntax is COUNTIF(range,criterion) *range* is the cell range to check the criterion and *criterion* is the condition expression of the criterion,.

The expression with the condition can be a number, a cell reference, a logical expression starting with a logical operator (=,>,<,>=,<=,<>) in double quotes, or a pattern text with wildcards like the question mark ? (that matches any character) or the asterisk * (that matches any character string) in double quotes.

Example This [animation](#) shows how to calculate the number of passed subjects (grade greater than or equal to 5).

3.4.5 MIN function

The MIN function calculates the minimum value of several numbers. Its syntax is MIN(number1,number2,...) where *number1*, *number2*, etc. are numbers or cell ranges for which you want the minimum.

3 Calculus with formulas

Example This [animation](#) shows how to calculate the minimum grade for every student in a course.

3.4.6 MAX function

The MAX function calculates the maximum value of several numbers. Its syntax is `MAX(number1,number2,...)` where *number1*, *number2*, etc. are numbers or cell ranges for which you want the maximum.

Example This [animation](#) shows how to calculate the maximum grade for every student in a course.

3.4.7 ISNUMBER function

The ISNUMBER function checks if a value is number or not and returns the logical value TRUE in the first case and FALSE in the second. Its syntax is `ISNUMBER(value)` where *value* is a value or a cell reference.

Example This [animation](#) shows how to check if the cells of a range contain numbers or not. Observe that in the example cells with numbers are aligned to the right and that dates are numbers.

3.5 Logical functions

Logical functions are very useful to take decisions.

3.5.1 IF function

The most important logical function is the IF functions, that checks whether a condition is met and returns a value if is true or another value if is false. Its syntax is `IF(condition,true_value,false_value)`, where *condition* is the logical condition to test, *true_value* is the returned value if the condition is true, and *false_value* is the returned value if the condition is false.

In the logical condition expression you use logical operators like equal =, not equal <>, greater >, less <, greater than or equal to >=, less than or equal to <=, etc. In the true or false value you can put numbers, text in double quotes, dates, cell references or other formulas.

Example This [animation](#) shows how to use the IF function to decide if students pass or don't pass a course depending on whether the average grade is greater than or equal to 5.

3.5.2 AND function

The AND function will return TRUE if all its arguments are true and FALSE if at least one argument is false. Its syntax is `AND(condition1, condition2, ...)`, where *condition1*, *condition2*, etc are logical conditions.

The following table, known as a *truth table*, shows the returned value by the AND function according to the corresponding values of its arguments.

A	B	AND(A,B)
TRUE	TRUE	TRUE
TRUE	FALSE	FALSE
FALSE	TRUE	FALSE
FALSE	FALSE	FALSE

Example. This [animation](#) shows how to use the AND function to see which students have passed all the subjects of a course with a grade greater than or equal to 5. Observe that conditions that involve blank cells are always false.

3.5.3 OR function

The OR function will return TRUE if one or more of its arguments are true and FALSE if all its arguments are false. Its syntax is `OR(condition1, condition2, ...)`, where *condition1*, *condition2*, etc are logical conditions.

The following truth table shows the returned value by the OR function according to the corresponding values of its arguments.

A	B	OR(A,B)
TRUE	TRUE	TRUE
TRUE	FALSE	TRUE
FALSE	TRUE	TRUE
FALSE	FALSE	FALSE

Example. This [animation](#) shows how to use the OR function to see which students have not passed some subjects of a course with a grade greater than or equal to 5.

3.5.4 NOT function

The NOT function will return TRUE if its argument is FALSE, and FALSE if its argument is TRUE. Its syntax is NOT(condition), where *condition* is a logical condition.

The following truth table shows the returned value by the NOT function according to the corresponding values of its argument.

A	NOT(A)
TRUE	FALSE
FALSE	TRUE

3.6 Date and time functions

Date and time functions performs operations with dates and times respectively.

Excel convert automatically any entry with with a date or time formats into a serial number. For dates, this serial number represents the number of days that have elapsed since the beginning of the twentieth century (so that January 1, 1900, is serial number 1; January 2, 1900, is serial number 2; and so on). For times, this serial number is a fraction that represents the number of hours, minutes, and seconds that have elapsed since midnight (so that 00:00:00 is serial number 0.00000000, 12:00:00 p.m. (noon) is serial number 0.50000000; 11:00:00 p.m. is 0.95833333; and so on).

3.6.1 Time elapsed between two dates or times.

To calculate the time elapsed between two dates or times, just enter a formula that subtracts the earlier date or time from the later date or time. In the case of dates, Excel will return the number of days between these dates. If you want to express it in year units, just divide the number of days by 365.25. In the case of times, Excel will return the number of hours between these times. If you want to express it in days unit, just change the cell format to General.

Example. This [animation](#) shows how to calculate the time elapsed between two dates and two times.

3.6.2 TODAY function

The function TODAY returns the system date (usually the current date). Its syntax is TODAY() and this functions doesn't have arguments.

Example. This [animation](#) shows how to calculate current age of a person using the TODAY function.

3.6.3 DATE function

The function DATE returns a date serial number for the date specified by the year, month, and day argument. Its syntax is DATE(year,month,day), where *year* is the year, *month* is the month (in number) and *day* is the day.

Example. This [animation](#) shows how to calculate the date given the year, month and day.

3.6.4 DAY, WEEKDAY, MONTH and YEAR functions

The DAY function returns the day of the month of a date. Its' syntax is DAY(date), where *date* is the serial number of the date.

The WEEKDAY function returns the day of the week of a date. Its' syntax is WEEKDAY(date,type), where *date* is the serial number of the date and *type* has three possible values (1: 1 equals Sunday and 7 Saturday, 2: 1 equals Monday and 7 equals Sunday; 3: 0 equals Monday and 6 equals Sunday).

The MONTH function returns the number of the month of a date. Its' syntax is MONTH(date), where *date* is the serial number of the date.

The YEAR function returns the year of a date. Its' syntax is YEAR(date), where *date* is the serial number of the date.

Example. This [animation](#) shows how to calculate the day, week day, month and year of a date.

3.6.5 NOW function

The function NOW returns the system time (usually the current time). Its syntax is NOW() and this function doesn't have arguments.

Example. This [animation](#) shows how to calculate current age of a person using the TODAY function.

3.6.6 TIME function

The function TIME returns a time serial number for the time specified by the hours, minutes and seconds argument. Its syntax is TIME(hours,minutes,seconds), where *year* is the year, *month* is the month (in number) and *day* is the day.

Example. This [animation](#) shows how to calculate the date given the year, moth and day.

3.6.7 HOUR, MINUTE and SECOND functions

The HOUR function returns the hour of a time. Its' syntax is HOUR(time), where *time* is the serial number of the time.

The MINUTE function returns the minute of a time. Its' syntax is MINUTE(time), where *time* is the serial number of the time.

The SECOND function returns the hour of a time. Its' syntax is SECOND(time), where *time* is the serial number of the time.

Example. This [animation](#) shows how to calculate the hour, minute and second of a time.

3.7 Text functions

Text functions performs different actions on text data type.

3.7.1 TEXT function

The TEXT function converts a number into text using a format specified by the users. Its syntax is TEXT(number,format) where *number* is a number or a cell reference that you want to convert to text, and *format* is the format pattern for the text in double quotes. In that pattern you can use a 0 for numbers, . for decimal separator, d for days, m for months, y years, h for hours, m for minutes and s for seconds. Also you can use currency signs and the percentage sign %.

Example This [animation](#) shows how to convert different numbers, dates and times to text.

3.7.2 VALUE function

The VALUE function converts a text string into a number. Its syntax is VALUE(text) where *text* is a text or a cell reference with text that represents a number.

Example This [animation](#) shows how to convert different text strings representing numbers, times and percentages to numbers.

3.7.3 T function

The T function checks if a value is text and if so, returns the text; Otherwise, the function returns an empty text string. Its syntax is T(value) where *value* is a value or a cell reference.

Example This [animation](#) shows how to check if the cells of a range contain text or not. Observe that in the example cells with text are aligned to the left.

3.7.4 ISTEXT function

The ISTEXT function checks if a value is text or not and returns the logical value TRUE in the first case and FALSE in the second. Its syntax is ISTEXT(value) where *value* is a value or a cell reference.

Example This [animation](#) shows how to check if the cells of a range contain text or not. Observe that in the example cells with text are aligned to the left.

3.7.5 LEN function

The LEN function counts the number of characters of a text string. Its syntax is LEN(text) where *text* is a text string or a cell reference with text.

Example This [animation](#) shows how to count the number of characters of several words. Observe that numbers are previously converted to text, and that blank cells have 0 characters.

3.7.6 CONCATENATE function

The CONCATENATE function joins together two or more text strings into a combined text string. Its syntax is CONCATENATE(text1, text2, ...) where *text1*, *text2*, ... are text strings or cell ranges with text to join.

Example This [animation](#) shows how to concatenate the first name and the last name of some persons with a blank space between them.

3.7.7 FIND and SEARCH functions

The FIND function returns the position of a specified character or sub-string within a given text string. Its syntax is FIND(find_text, within_text, [start_num]) where *find_text* is the sub-string to find, *within_text* is text where to find the sub-string, and *start_num* is an optional argument that specifies the position in the *within_text* string, from which the search should begin (if omitted the search starts from the first character). The search is case-sensitive.

The SEARCH functions works the same that the FIND function except that is not case-sensitive.

3 Calculus with formulas

Example This [animation](#) shows how to calculate the position of some text sub-strings in a text with the FIND and the SEARCH functions.

3.7.8 SUBSTITUTE functions

The SUBSTITUTE function replaces one or more instances of a specified text sub-string with another one supplied within a given text string. Its syntax is `SUBSTITUTE(text, old_text, new_text, [instance_num])` where *text* is the text where to perform the substitution, *old_text* is the sub-string to replace, *new_text* is the new text string that it is used to replace the *old_text* string, and *instance_num* is an optional argument that specifies which occurrence of the *old_text* should be replaced by the *new_text* (if this argument is not specified all instances of *old_text* are replaced with the *new_text*). The search is case-sensitive.

Example This [animation](#) shows how to replace some sub-strings in some texts by other text strings.

3.7.9 LOWER and UPPER functions

The LOWER function converts all characters in a text string to lower case. Its syntax is `LOWER(text)` where *text* is the text to convert to lower case.

The UPPER functions works like the LOWER function but it converts text to upper case.

Example This [animation](#) shows how to convert to lower case some text strings.

3.8 Database functions

See the section [5.7](#).

3.9 Mathematical functions

Some common mathematical functions included in the function library are exponentials, logarithmic and trigonometric.

3.9.1 SQRT function

The SQRT function calculates the root square of a number. Its syntax is `SQRT(number)` where *number* is a number or a cell reference for which you want the square root.

Example This [animation](#) shows how to calculate the square root of grades in a course.

3.9.2 EXP function

The EXP function calculates the exponential of a number. Its syntax is `EXP(number)` where *number* is a number or a cell reference for which you want the exponential.

Example This [animation](#) shows how to calculate the exponential of grades in a course.

3.9.3 LN and LOG functions

The LN function calculates the natural logarithm of a number (that is with base e). Its syntax is `LN(number)` where *number* is a number or a cell reference for which you want the natural logarithm.

The LOG function calculates the logarithm of a number in a given base. Its syntax is `LOG(number, [base])` where *number* is a number or a cell reference for which you want the logarithm and *base* is the base of the logarithm (if this argument is omitted, then base 10 is taken).

Example This [animation](#) shows how to calculate the natural logarithm and the base 10 logarithm of grades in a course.

3.9.4 PI function

The PI function returns the constant value of π . Its syntax is `PI()` without arguments.

3.9.5 SIN, COS and TAN functions

The SIN function calculates the sine of an angle in radians. Its syntax is `SIN(angle)` where *angle* is a number or a cell reference with the radians for which you want the sine.

The COS function calculates the cosine of an angle in radians. Its syntax is `COS(angle)` where *angle* is a number or a cell reference with the radians for which you want the cosine.

The TAN function calculates the tangent of an angle in radians. Its syntax is `TAN(angle)` where *angle* is a number or a cell reference with the radians for which you want the tangent.

3 Calculus with formulas

If angles are in degrees, they have to be converted to radians before with the function `RADIANS(degrees)` where *degrees* is a number or a cell reference with the degrees that you want to convert to radians.

Example This [animation](#) shows how to calculate the sine, cosine and tangent of several angles. Observe that the sine of an angle of 180 degrees is not exactly 0 because the `RADIANS` function does not calculate the radians corresponding to a number of degrees with total accuracy.

3.9.6 ROUND function

The `ROUND` function rounds a number to a specified number of digits. Its syntax is `ROUND(number,digits)` where *number* is a number or a cell reference that you want to round and *digits* is the number of digits to which you want to round the number.

Example This [animation](#) shows how to round the grades in a course.

3.9.7 ABS function

The `ABS` function calculates the absolute value of a number. Its syntax is `ABS(number)` where *number* is a number or a cell reference for which you want the absolute value.

3.10 Statistical functions

Excel provides functions to calculate the main descriptive statistics, probability distributions and also to make inferences about the population. For an introductory text to Statistics visit the [Statistic manual](#).

3.10.1 AVERAGE function

The `AVERAGE` function calculates the arithmetic mean of several numbers. Its syntax is `AVERAGE(number1,number2,...)` where *number1*, *number2*, etc. are the numbers or cell ranges for which you want the average.

Example This [animation](#) shows how to calculate the average grade for every student in a course. Observe that the average grade is well calculated even when there are blank cells in the range.

3.10.2 AVERAGEIF function

The AVERAGEIF function calculates the arithmetic mean of numbers in a cell range that meet a given criterion. Its syntax is AVERAGEIF (*range*,*criterion*, [*average-range*]) where *range* is the cell range to check the criterion, *criterion* is the condition expression of the criterion, *average-range* is the range with the values to average (if this argument is not provided, the average is calculated over the values of the *range* argument that meet the criterion).

The expression with the condition can be a number, a cell reference, a logical expression starting with a logical operator (=,>,<,>=,<=,<>) in double quotes, or a pattern text with wildcards like the question mark ? (that matches any character) or the asterisk * (that matches any character string) in double quotes.

Example This [animation](#) shows how to calculate the average grade of students with a grade greater than or equal to 5 for every subject in a course.

3.10.3 MEDIAN function

The MEDIAN function calculates the median of several numbers. Its syntax is MEDIAN(*number1*,*number2*,...) where *number1*,*number2*, etc. are the numbers or cell ranges for which you want the median.

Example This [animation](#) shows how to calculate the median grade for every student in a course. Observe that the median grade is well calculated even when there are blank cells in the range.

3.10.4 MODE function

The MODE function calculates the mode of several numbers. Its syntax is MODE(*number1*,*number2*,...) where *number1*,*number2*, etc. are the numbers or cell ranges for which you want the mode.

Example This [animation](#) shows how to calculate the mode grade for every student in a course. Observe that the mode grade is not calculated when there are not repetitions of values.

3.10.5 PERCENTILE.EXC function

The PERCENTILE.EXC function calculates the k-th percentile of numbers in a cell range. Its syntax is PERCENTILE.EXC(*range*,*k*) where *range* is the cell range with the values for which you want the percentile, and *k* is the relative frequency (between 0 and 1) of the percentile.

Example This [animation](#) shows how to calculate the quartiles (percentiles 25, 50 and 75) of grades for every student in a course. Observe that if we use a cell reference for the *k* argument, putting a relative frequency in that cell (0.25 for first quartile, 0.5 for second quartile and 0.75 for third quartile) we get the correspondent percentile.

3.10.6 VAR.P function

The VAR.P function calculates the variance of several numbers. Its syntax is VAR.P(number1,number2,...) where *number1,number2*, etc. are the numbers or cell ranges for which you want the variance.

Example This [animation](#) shows how to calculate the variance of grades for every student in a course. Observe that the variance is well calculated even when there are blank cells in the range.

3.10.7 STDEV.P function

The STDEV.P function calculates the standard deviation of several numbers. Its syntax is STDEV.P(number1,number2,...) where *number1,number2*, etc. are the numbers or cell ranges for which you want the standard deviation.

Example This [animation](#) shows how to calculate the standard deviation of grades for every student in a course. Observe that you can also calculate the standard deviation applying the square root to the variance.

3.10.8 SKEW function

The SKEW function calculates the skewness coefficient of several numbers. Its syntax is SKEW(number1,number2,...) where *number1,number2*, etc. are the numbers or cell ranges for which you want the skewness coefficient. Excel 2010 uses the following formula to calculate skewness:

$$g_1 = \frac{n}{(n-1)(n-2)} \sum \left(\frac{x_i - \bar{x}}{s} \right)^3,$$

where \bar{x} is the mean and s is the standard deviation.

Example This [animation](#) shows how to calculate the skewness coefficient of grades for every subject in a course.

3.10.9 KURT function

The KURT function calculates the kurtosis coefficient of several numbers. Its syntax is KURT(number1,number2,...) where *number1,number2*, etc. are the numbers or cell ranges for which you want the kurtosis coefficient. Excel 2010 uses the following formula to calculate kurtosis:

$$g_1 = \frac{n(n+1)}{(n-1)(n-2)(n-3)} \sum \left(\frac{x_i - \bar{x}}{s} \right)^4 - \frac{3(n-1)^2}{(n-2)(n-3)},$$

where \bar{x} is the mean and s is the standard deviation.

Example This [animation](#) shows how to calculate the kurtosis coefficient of grades for every subject in a course.

3.11 Other functions

Other common functions are the following.

3.11.1 ISBLANK function

The ISBLANK function checks if a value is null or a cell is blank. Its syntax is ISBLANK(value) where *value* is a value or a cell reference.

Example This [animation](#) shows how to check if some cells are blank or not. Observe that cell A3 is not blank because it contains a blank space.

3.11.2 ISERROR function

The ISBLANK function checks if a value or cell is an error. Its syntax is ISERROR(value) where *value* is a value or a cell reference.

Example This [animation](#) shows how to check if some cells have errors.

3.12 Auditing formulas

When Excel can not perform an operation or when there is an error in a formula, it shows an error. Some common errors are

- **#NAME? error.** Occurs when Excel does not recognize text in a formula. Usually happens when you misspell the name of a function.
- **#VALUE! error.** Occurs when a formula has the wrong type of argument. Usually happens when you try to performs mathematical operations with cells that does not contain numbers.
- **#DIV/0! error.** Occurs when a formula tries to divide a number by 0 or an empty cell.

3 Calculus with formulas

- **#REF! error.** Occurs when a formula refers to a cell that is not valid. Usually happens when a formula refers to a deleted cell.
- **#NUM! error.** Occurs when a formula or function contains invalid numeric values. For example when trying to calculate the square root of a negative number.
- **#N/A error** Occurs when a value is not available to a function or formula.

In complex formulas it could be difficult to detect the error. Fortunately, Excel provide some tools for tracking down errors.


3.12.1 Tracing formulas

The simplest procedure to trace formulas is double click a cell with a formula. This will show the cells referenced by the formula marked in different colours.

Another possibility is to trace precedents or dependents references. If you select a cell with a formula and click the Trace Precedents button of the Formula Auditing panel on the ribbon's Formulas tab, Excel will show arrows to the cells that affect the value of the selected cell. And if click the Trace Dependents button of the Formula Auditing panel on the ribbon's Formulas tab, Excel will show arrows to the cells that are affected by selected cell. To remove the arrow simply click the Remove Arrows button of the Formula Auditing panel on the ribbon's Formulas tab.


Example This [animation](#) shows how to trace a formula to calculate the price of product without discount, with discount but without taxes and with discount and taxes.

3.12.2 Error checking

If some formula have an error, you can check where the error come from selecting the cell with the error and clicking the Error Checking button  of the Formula Auditing panel on the ribbon's Formulas tab. This will display a dialog with the formula expression, an explanation of the error and several options. If the error is in the selected cell you can click the option Show Calculation Steps to evaluate the formula (see the section [Formula evaluation](#)). But if the error is in a cell that affects the selected cell you can click the option Trace Error. This will show red arrows to cells where the error come from.

Example This [animation](#) shows how to check an error in a formula to calculate the price of product without discount, with discount but without taxes and with discount and taxes.

3.12.3 Formula evaluation

In general, you can evaluate any formula, even if it has no error, selecting the cell with the formula and clicking the Formula Evaluation button  of the Formula Auditing panel on the ribbon's Formulas tab. This will display a dialog where you can evaluate the formula step by step.

Example This [animation](#) shows how to check an error in a formula to calculate the price of product without discount, with discount but without taxes and with discount and taxes.

Plotting charts


A picture is worth a thousand words. That's why data is usually presented in a graphical form, and for that reason spreadsheets provide different types of charts. This section presents the main chart types and how to plot them in Excel 2010.

4.1 Charts creation

Regardless the chart type, the steps to create a chart are:

1. Select the range that contains the data to plot. Data should be arranged in series (vertically or horizontally) following the next rules:
 - Do not leave empty rows or columns within the data range or between data labels and data.
 - Only one row and/or one column should be used for data labels.
 - Each data label should be unique.
2. Select the type of chart from the Charts panel on the ribbon's Insert tab.


4 Plotting charts




3. Set the chart design (data serie to plot, order, etc.). You can use the ribbon's Design tab.



4. Apply a layout (title, axis, legend, grids, data labels, etc.). You can use the ribbon's Layout tab.



5. Apply a style format (text, line and background colours). You can use the ribbon's Format tab.



Charts are embedded in the same worksheet that data by default but it's possible to put it on a separate worksheet. For that right-clicking the chart background and select **Move chart**. In the dialog that appears select **New sheet** give a name to the worksheet a click OK.

Charts are linked to data from which they come. This means that any change in the data will be immediately reflected in any derived chart.

4.2 Types of charts

There are eleven major chart types (Column, Line, Pie, Bar, Area, Scatter, Stock, Surface, Doughnut, Bubble and Radar) and each has many subtypes.

Each chart type has a purpose and requires data to be arranged in a particular way. So choosing the right chart is probably the most important decision. The main chart types and their purpose are presented below.

4.2.1 Column and bar charts

A **column or bar chart** is a set of bars (usually rectangles) graphed over an horizontal and vertical axis (also known as XY axis). Each bar is graphed over the corresponding category with a length proportional to the value of the category in the data serie. Usually more than one data serie are plotted and bars corresponding to different series are differentiated with colours. In a column chart, categories appear horizontally and values appear vertically, whereas in a bar chart, categories appear vertically. Column charts, unlike bar charts, is suitable for emphasizing data variations over a period of time.

Example. The figure 4.1 shows a column chart showing the evolution of fruit prices. Looking at the chart you can quickly realize that strawberries are the most expensive (longest bars) and apples the cheapest (shortest bars) along the time. Also that the prices of strawberries and bananas are decreasing, the prices of oranges are increasing and the prices of apples are almost stables.




Figure 4.1: Example pie chart comparing fruit prices.

Excel offers a lot of shapes for the bars (rectangles, cylinders, cones, pyramids) in 2-D and 3-D, and allows to stack bars. Also is possible to add error bars to the bars.

Example. This [animation](#) shows how to create a column chart for the apple prices evolution (one data serie).

And this [animation](#) shows how to create a column chart for the fruit prices evolution (several data series).

4.2.2 Line charts

A **line chart** display a serie of data points called *markers* connected by straight line segments. Each marker is graphed over the corresponding category at a height proportional to the value of the category in the data serie. It's similar to a column chart but using markers at the end of

4 Plotting charts

bars instead of bars, and joining them with straight line segments. Line charts are suitable for displaying and comparing trends over a period of time.

Example. The figure 4.2 shows a line chart showing the evolution of fruit prices. Looking at the chart you can quickly realize that strawberries are the most expensive (higher markers) and apples the cheapest (lowest markers) along the time. Also that the prices of strawberries and bananas are decreasing (lines with negative slope), the prices of oranges are increasing (line with positive slope) and the prices of apples first decrease and then increases.




Figure 4.2: Example pie chart comparing fruit prices.

Excel offers different subtypes of line charts, with or without data points in 2-D and 3-D, and also allows to stack lines.

Example. This [animation](#) shows how to create a line chart for the fruit prices evolution. Looking at the chart you can quickly realize which prices are increasing and which prices are decreasing.

4.2.3 Area charts

An [area chart](#) is similar to a line chart but filling the area between the line and the horizontal axis. Area charts are suitable for displaying the relative importance of values over time. It's similar to a line chart, but because the area between lines is filled in, the area chart puts greater emphasis on the magnitude of values and less emphasis on the flow of change over time.

Example. The figure 4.3 shows an area chart showing the evolution of accumulated fruit prices. Looking at the chart you can quickly realize that strawberries are the most expensive (the largest area) and that accumulated prices are decreasing.

Excel allows to plot areas in 2-D or 3-D and also to stack areas.

Example. This [animation](#) shows how to create an area chart for the evolution of accumulated fruit prices.




Figure 4.3: Example pie chart comparing fruit prices.

4.2.4 Pie charts

A **pie chart** is a circle divided into slices called *sectors*. Each sector represents a category of the data series and has an angle or area proportional to the quantity that corresponds to the category.

Pie charts are suitable for displaying the parts of a whole. Unlike the other charts presented so far, which can graph multiple data series, pie charts can graph just one data series.

Example. The figure 4.4 shows a pie chart comparing fruit prices. Looking at the chart you can quickly realize that strawberries are the most expensive (biggest sector) and apples are the cheapest (smallest sector).




Figure 4.4: Example of pie chart comparing fruit prices.

Again Excel has several subtypes that allow you to emphasize a part of the whole in 2-D or 3-D.

Example. This [animation](#) shows how to create a pie chart comparing the fruit prices of January.

4.2.5 Doughnut charts

Doughnut charts are similar to pie charts except for its ability to display more than one data series.

Example. The 4.5 shows a doughnut chart comparing fruit prices in January and April. The inner doughnut correspond to prices of January and the outer to prices of April. Looking at the chart you can quickly realize that, although the price of apples were smaller in April than in January, it was relatively higher in April than in January, compared to the rest of fruit prices.




Figure 4.5: Example of doughnut chart comparing fruit prices.

Example. This animation shows how to create a doughnut chart comparing the fruit prices in January and April.

4.2.6 XY Scatter charts

An **XY scatter chart** is a point cloud graphed using Cartesian coordinates. Each point correspond to a pair of values. The first value of the pair determines the position on the horizontal axis and the second value of the pair determines the position on the vertical axis. XY Scatter charts are suitable for displaying correlation among the data pairs of two numeric variables.

Example. The figure 4.6 shows an XY Scatter chart relating banana and strawberry prices. Looking at the chart you can quickly realize that there is a positive correlation (when banana price increase, strawberry price increase too).

Example. This animation shows how to create an XY Scatter chart relating banana and strawberry prices.

4.2.7 Histograms

A **histogram** is a graphical representation of the distribution of numerical data. It's similar to a column chart but data values are grouped into interval classes and each bar represents a




Figure 4.6: Example of XY scatter chart relating banana and strawberry prices.

class. Histograms charts are suitable for displaying frequency of data values in one numeric variable.

To plot an histogram previously is required to load the *Analysis ToolPak* add-in.

Example. This [animation](#) shows how to create an histogram of the grades in a course.

4.3 Chart design

4.3.1 Changing the data source

You can change the data range graphed in a chart anytime clicking the *Select Data* button of the *Data* panel on the ribbon's *Design* tab. This brings a dialog where you can select the new data range, switch rows and columns series, add new data series to graph and their labels, remove or edit existing data series or change the order in which are graphed in the chart.

Observe that is possible to plot in the same chart data in separated ranges.

Example. This [animation](#) shows how to add the orange prices data serie to a column chart for the apple prices evolution.

4.3.2 Switching rows and columns

When Excel creates a new chart with x and y axis, it automatically graphs the data by rows in the selected range so that the column headings appear along the horizontal axis and the row headings appear in the legend. If you want to switch from row series to column series, that is, that row headings appear on the horizontal axis and the column headings appear in the legend, click the *Switch Row/Column* button of the *Data* panel on the ribbon's *Design* tab.

4 Plotting charts

Example. This [animation](#) shows how to switch from row series to column series in a column chart for the fruit prices evolution.

4.4 Chart layout

After creating a chart you can add new layout elements like chart titles, axis titles, legends, data labels, grids, trend lines, error bars, etc. or modify the existing ones.




Figure 4.7: Parts of a chart.

To format any element of a chart right-click the element (bar, line, title, axis, legend, etc) and select the corresponding option at the bottom of the contextual menu. This will open a dialog where you can perform the desired changes for the selected element.

4.4.1 Titles

You can add a title to the chart selecting the chart and clicking the **Chart Title** button of the **Labels** panel on the ribbon's **Layout** tab. That will show a drop down menu that let you choose between a centered overlay title (inside the chart area) or an above chart (outside the chart area).

Example. This [animation](#) shows how to add a title to a column chart for the fruits prices evolution and how to change the font colour.

4.4.2 Axes

You can add a title to the horizontal or vertical axes selecting the chart and clicking the **Axis Title** button of the **Labels** panel on the ribbon's **Layout** tab.

Example. This [animation](#) shows how to add a title to the horizontal and vertical axes of a column chart for the fruits prices evolution. The vertical axis title is rotated 90 degrees.

One of the most important parts of a chart are axis scales. Excel allows you to configure the axis scale setting the minimum and maximum showed in the axis, the major and minor units, the format of thick marks (small lines intersecting axis that indicate categories, scale units or chart data series) and their labels, or even the scale type (linear by default or logarithmic). To configure an axis right-click any label of the axis (not the axis title) and select the **Format Axis** option from the contextual menu. This will open a dialog with a lot of axis options. Change whatever you want and click **Close**.

Example. This [animation](#) shows how to change the scales of the horizontal and vertical axes of a column chart for the apple prices evolution. Observe that in the original chart the minimum value of the vertical axis scale is 1.26, what magnify the differences between month prices. To avoid that the minimum value of vertical scale is set to 0, and the major unit is set to 0.1. Also the format of tick marks labels is changed to currency with two decimal places. On the other hand, the tick marks labels of the horizontal axis are rotated 30 degrees counterclockwise.

4.4.3 Grid

A grid is composed of horizontal or vertical lines (usually equally spaced) over the axes. Grids are helpful to mark out more precisely the position of markers, bars, lines or other chart elements in the axis scales.

Excel allows to plot both horizontal and vertical grid lines for major and minor tick marks. To plot vertical grid lines right-click any label of the horizontal axis and select the **Add Major Gridlines** option for drawing lines over the major tick marks, or **Add Minor Gridlines** for drawing lines over the minor tick marks. To plot horizontal grid lines do the same but right-clicking any label of the vertical axis. Once the grid line is plotted you can change its format right-clicking any label of the axis and selecting the **Format Major Gridlines** or **Format Minor Gridlines** option.

Example. This [animation](#) shows how add vertical major grid lines and horizontal minor grid lines. Also show how to change the line style of minor grid lines.

4.4.4 Legends

A legend is key that identifies patterns, colors, or symbols associated with the markers of a chart data series. The legend shows the data series name corresponding to each data marker.

Excel usually plots a legend to the right of the chart but it's possible to change the legend to other position or to remove it. To plot the legend of a chart click the **Legend** button of the **Labels** panel on the ribbon's **Layout** tab. This shows a drop down menu with different positions for the legend. After plotting the legend, if you want to format it right-click it and select **Format Legend**. This will open a dialog where you can choose the legend position, the frame and background

4 Plotting charts

colours and many other legend aspects. Finally if you want to remove a legend, just select it and press the Supr key.

Example. This [animation](#) shows how add a legend for the fruits to the right of a column chart with the fruit prices evolution. Also it shows how to plot a frame around the legend and how to move the legend to the top.

4.4.5 Data series

The aspect of any graphic element used to represent a data serie in a chart (bars, markers, lines, sectors, etc) can be easily changed. To format the graphic element corresponding to a data serie right-click it and select the `Format Data Series` option. This will open a dialog where you can change the shape, border and background colours, space between elements, and many other aspects. It's also possible to format only one element of the serie. For that you need to click it two times (not double-clicking), then right-click it and select the `Format Data Point` option.

Example. This [animation](#) shows how to change the background colour of orange bars in a column chart for the fruits prices evolution. It also shows how to add a glow effect over the highest bar.

4.4.6 Data labels

Sometime is useful to plot the values for a data serie next to their bars, markers, lines, sectors or other chart elements. To plot the values of a data serie right-click the chart element (bar, marker, line, sector, etc) corresponding to the data serie and select the `Data Labels` option. This will plot the value corresponding to each bar, marker, sector, etc. close to it.

Example. This [animation](#) shows how add a legend for the fruits to the right of a column chart with the fruit prices evolution. Also it shows how to plot a frame around the legend and how to move the legend to the top.

4.4.7 Chart styles

Finally, the `Chart styles` panel on the ribbon's `Design` tab has many predefined chart styles that combine different colours for graphics elements and backgrounds. Apply one of those styles is as easy as select the chart and click the desired style.

Also, the `Shape styles` panel on the ribbon's `Format` tab have predefined styles for the background area and frame of the chart.

Example. This [animation](#) shows how to apply some chart and shape styles to a column chart with the fruit prices evolution.

Managing databases

A **database** is an organised collection of data. Usually databases are composed of records that contains information about the same object (person, company, product, etc), and records are composed of fields that contains every piece of information (name, address, phone number, price, etc.).

Example The next table show a students database with fields *First name*, *Last name*, *Address*, *City*, *Birth date*, *Average grade* and *Passed credits*.

First name	Last name	Address	City	Birth date	Average grade	Passed credits
María	Sánchez García	c. Estrella, 9	Madrid	23/10/1994	5,8	78
Carlos	Pérez López	c. Bravo Murillo, 34 3º-D	Madrid	16/08/1993	7,9	123
Luis	González Roca	c. Antonio López, 67 1º-A	Madrid	07/07/1995	8,2	45
Camen	Aguirre Jordán	c. Espada, 12 4º-C	Sevilla	06/03/1994	4,2	28
Luisa	Martín Garrido	c. Cervantes, 14	Albacete	22/01/1994	6,7	54
Alberto	Pintado Marín	c. Arroyo, 27 2º-C	Sevilla	10/03/1995	4,1	12
Marina	Gómez Gómez	c. Velázquez 28 4º-A	Madrid	12/04/1994	7,7	62
Javier	Yagüe Pinzón	c. Rosales, 76 8º-B	Madrid	18/12/1993	6,1	82
Lucas	Guerrero Monzón	c. Isaac Peral, 30 Bajo	Albacete	12/01/1995	5,4	32

5.1 Database creation in Excel

Excel allows to define databases as tables where fields are defined in columns and records in rows. The first row of the table contains labels for each field. This tables are also called *data lists*.

5 Managing databases

To create a data list first enter the name of the fields in the first row of the table, each in one column. This first row with the field names is the *headers row*. Field names must be unique and there mustn't be blank cells in the headers row. After creating the fields enter first record data in the appropriate columns of the row immediately below the one containing the field names. To Excel recognise this table as a data list, click the **Format as Table** button on the ribbon's Home tab and then click a thumbnail of one of the table styles in the drop-down gallery.

After that you can enter the remaining records, one by row. After entering the data of a field press the Tab key to go to the next field of the same record, or to the first field of the next record if you are in the last field of a record.

Example. This [animation](#) shows how create a data list of students with the fields *First name*, *Last name*, *Address*, *City*, *Birth date*, *Average grade* and *Passed credits*.

After creating a data list Excel will give a name to it, but is advisable to give it a descriptive name (see the [Naming cells and ranges](#) section).

5.2 Data validation

When entering data to a data list is important to validate data to maintain database integrity. Data validation allows to specify which type and range of data are accepted by a cell or field (column). To apply a validation rule to a field, select the field column of the data list and click **Data validation** button of the **Data tools** panel on the ribbon's Data tab. In the dialog that appears, select the validation criteria from the drop-down list of the **Setting**:

- *Whole number* allows only integers numbers between a specified minimum and a maximum or greater or less than a specified number.
- *Decimal* allows decimal numbers between a specified minimum and maximum or greater or less than a specified number.
- *List* allows a list of defined entries.
- *Date* allows dates between two specified dates or before or after a specified date.
- *Time* allows times between two specified times or before or after a specified time.
- *Text length* allows text with a restricted length.

After selecting the validating criteria, enter the correspondent parameters (minimum or maximum numbers, dates, times or range with the entries of the list). You can also define an input message in the **Input Message** tab and an error message in the **Error Alert** tab that will be shown if an invalid entry is entered in the field.

Example. This [animation](#) shows how create a validation rule for the *Average grade* field in a data list of students.

5.3 Importing databases

Excel offers the possibility to import data from diverse sources like csv text files, XML files, relational databases like Access or web data sources.

5.3.1 Importing data from csv text files

To see how to import data from csv text file see the section [1.8.2](#).

5.3.2 Importing from web data sources

There are many web pages that offers open data in a suitable format for import from Excel. To import data from a web data source click the **From Web** button of the **Get External Data** panel on the ribbon's **Data** tab. This opens a web browser where you must enter the URL of the page with the data source. When the browser shows the data table some yellow arrows appear that allow you to select the rows and columns of the table to import.

Example This [animation](#) shows how to import the IBEX 35 series from [Yahoo finances](#).

5.3.3 Importing data from Qandl

[Qandl](#) is a finance and economic data repository with hundred of open data series. It's possible to import data from Qandl to Excel easily, but you need the Qandl add in for Excel. To install the Qandl add in for Excel follow these [instructions](#).

After installing the add in a new tab labelled **Qandl** appears in the ribbon. To import a data serie from Qandl, first search the data serie clicking the **Search** button on the ribbon's **Qandl** tab, enter some key words for the search and click the **Show Results** button, select the data serie desired from the search results, click the **Insert Selected Codes** button and click the **Close** button. This will insert the Qandl code of the data serie (if you know the Qandl code of the data serie you can avoid the search and enter it directly in a cell). Finally, select the cell with the Qandl code and click the **Download** button on the ribbon's **Qandl** tab. This will download the data serie and put it in a range below the cell that contains the Qandl code.

Example This [animation](#) shows how to import the IBEX 35 serie from [Qandl](#).

5.4 Data sorting

To sort the data list records on a single field, you simply click that field's **AutoFilter** button (the button with the triangle that appears to the right of the header) and then click the appropriate sort option on its drop-down list: - Sort A to Z or Sort Z to A in a text field. - Sort Smallest to

5 Managing databases

Largest or Sort Largest to Smallest in a number field. - Sort Oldest to Newest or Sort Newest to Oldest in a date field.

Other option to sort a data list on a field is to select a cell of the field column and click the Sort A to Z button  of the Sort & Filter panel on the ribbon's Data tab, to sort ascending, or the Sort Z to A button  to sort descending.

Excel then will reorder all the records in the data list according to the ascending or descending order selected.

Example. This [animation](#) shows how to sort a students database. First ascending on the *Birth date* field, next descending on the *Average degree* field, and finally ascending on the *Last name* field.

If you need to sort a data list on more than one field, select a cell of the data list and click the Sort button of the Sort & Filter panel on the ribbon's Data tab. Then, in the dialog that appears, select the first sorting field column and the sorting order (ascending or descending), next the second sorting field column and the sorting order, and so on.

Example. This [animation](#) shows how to sort a students database on the fields *City* ascending and *Average grade* descending.

You can also sort a range of cells in general indicating the name of the columns instead of the field names.

5.5 Summarizing data

With large tables or data lists is difficult to extract relevant information. For that purpose, Excel provides several methods for summarizing data.

5.5.1 Totaling and subtotaling fields

A common operation is to apply a function to a whole field in a data list, as for instance the SUM function for summarizing or the AVERAGE function for averaging all the values in a field column. This could be done activating the Total row check box of the Table Style Options panel on the ribbon's Table Options tab. This will add a total row at the bottom of the table. Clicking any cell of this row you can choose which function to apply to the whole field.

Example This [animation](#) shows how to sum the passed credits of students in a students database. It also shows how to average the average grade.

Excel also allows subtotaling a field by categories of other field. This procedure only works with data lists formatted like tables, so if a data list have been formatted like a table first it has to be converted to a range selecting any cell of the table and clicking the Convert to Range button

of the **Tools** panel on the ribbon's **Table Tools - Design** tab. After that, you have to sort the data list by the field with the categories to summarize (see the section 5.4). Finally, to subtotaling a data list click the **Subtotal** button of the **Outline** panel on the ribbons' **Data** tab. This will display a dialog where you have to select the field with the categories in the **At each change in** drop-down menu, the function to apply (sum, count, average, etc.) in the **Use function** drop-down menu, check the fields to with apply the subtotaling function in the **Add subtotal to list**, and click **OK**.

Example This animation shows how to subtotaling the passed credits of students in a students database by the city where they live.

5.5.2 Pivot tables

A pivot table is a powerful tool for exploring data. It help you organise and summarize the raw data in your data list, revealing patterns or relationships that might not be obvious at first glance.

To create a pivot table click on any cell of a data list and then click the **PivotTable** button on the ribbon's **Insert** tab. This display a dialog where you can select the range for the pivot table (by default Excel select the whole data list) and choose between placing the pivot table in a new workbook (default) or in the same workbook (in this case you have to indicate in which cell). After click **OK**, a pane appears on the right side of the pane:

- **Report Filter** for the fields that enable you to page through the data summaries shown in the actual pivot table by filtering out sets of data — they act as the filters for the report. So, for example, if you designate the **Year** Field from a data list as a **Report Filter**, you can display data summaries in the pivot table for individual years or for all years represented in the data list.
- **Column Labels** for the fields that determine the arrangement of data shown in the columns of the pivot table.
- **Row Labels** for the fields that determine the arrangement of data shown in the rows of the pivot table.
- **Values** for the fields whose data are presented and summarized in the body cells of the pivot table. By default Excel will use the **SUM** function to summarize values. To use another function click the field and select the **Value Field Settings** option in the menu that appears. In the dialog that appears just select the function that you want to use for summarizing and click **OK**.

Example This animation shows how to create a pivot table for a students database. The pivot table shows and summarizes the passed credits by degrees on rows and by cities on columns.

This animation shows how to arrange the previous pivot table to show the passed credits summarized first by city and then by degree and vice versa, both on rows.

5 Managing databases

This [animation](#) shows how to arrange the previous pivot table to show, in addition to the passed credits, the average grade of students. The passed credits are summarized using the SUM function while the average grade is summarized using the AVERAGE function.

This [animation](#) shows how to filter the previous pivot table to show only the values of course year 2014 and not to show the physics degree.

To change the format of a pivot table you can use the Layout panel on ribbon's PivotTable Tools - Design tab. This panel has four buttons:

- **Subtotals** Allows to show subtotals at top of groups, at bottom of groups or not to show subtotals.
- **Grand Totals** Allows to show grand totals for rows, for columns, for both rows and columns, or not to show grand totals.
- **Report Layout** Allows to show the groups in compact form (all the grouping fields in the same column), in outline form (every grouping field in a different column) or in tabular form (like the outline form but adding extra rows for the subtotals).
- **Blank rows** Allow to insert or not a blank row after each group.

It's also possible to apply a predefined style to a pivot table just selecting the desired style from the PivotTable Styles panel on ribbon's PivotTable Tools - Design tab.

Example This [animation](#) shows how to format and how to apply a style to the previous pivot table.

5.5.3 Pivot chart

Pivot tables can be accompanied by pivot charts, that is an interactive chart where you can present and summarize data grouped by some fields like a in a pivot table. To create a pivot chart from a pivot table, in the worksheet with the pivot table click the PivotChart button of the Tools panel on the ribbon's PivotTable Tools - Options tab. This will show a dialog with the charts types. Select the desired chart type and click OK. After that Excel inserts a chart in the same worksheet of the pivot table reflecting the same information of the pivot table. From now on, any change in the pivot table will be reflected in the pivot chart.

Example This [animation](#) shows how to create a pivot chart from a pivot table for a students database.

Of course, you can change the pivot chart layout as any other chart (see section [4.4](#)).

5.6 Data filtering

With huge databases it's difficult to find the desired information. To overcome this problem Excel provide several methods to filter the database. Filtering is the procedure for specifying the data that you want displayed in an Excel data list.

5.6.1 Apply a simple filter

The easiest way to perform this basic type of filtering on a field is to click the **AutoFilter** button (the button with the triangle that appears to the right of the header). This display a drop-down menu that contains at the end a list box with a complete listing of all entries made in that column, each with its own check box. In this list click the check box in front of the (Select All) option at the top of the field's list box to clear the check boxes, then click each of the check boxes corresponding to the entries for the records you do want displayed in the filtered data list, and finally click OK. Excel then hides rows in the data list for all records except for those that contain the entries you just selected.

Example This [animation](#) shows how to filter the students of Sevilla and Albacete in a students database.

To perform more sophisticated filters you can use the other filter options of the **AutoFilter** button. These filter options depend on the type of entries in the field:

- If the column only contains dates, the menu contains a **Date Filters** option with a submenu that allows you to filter dates equals to, before or after a given date; dates between two given dates; dates of today, yesterday and tomorrow; dates of this week, last week and next week; dates of this month, last month and next month; dates of this quarter, last quarter and next quarter; dates of this year, last year and next year; and dates in a specific period (quarter or month).
- If the column contains only numbers or a mixture of dates with numbers, the menu contains a **Number Filters** option with a submenu that allows you to filter numbers equal or not equal to a given number; numbers greater than, greater than or equal to, less than, less than or equal to a given number; numbers between two given numbers; top 10 numbers; number above the average and numbers below the average.
- If the column only text or a mixture of text, date and numbers, the menu contains a **Text Filters** option with a submenu that allows you to filter text equal or not equal to a given text; text that begins or end with a given text; and text that contains or does not contains a given text.


If the filter selected requires some parameter (date, number or text), a dialog appears where you must enter that data and click OK.

5 Managing databases

Example This [animation](#) shows how to filter the students born before 1/1/1995, with an average grade greater than or equal to 5, and whose name begins with M, in a students database.

5.6.2 Apply a complex filter

Simple filters are enough in most cases, but sometime you need to filter data according to more complex criteria. Fortunately Excel provides a method to perform filters based on calculated criteria with formulas.

To perform a filter with calculated criteria first you have to specify the criteria somewhere in the worksheet that contains the data list. The criteria must have a cell header and a logical formula in the cell just below. In the logical formula you can use functions and references to the cells, but it's important to note that all references must be to cells in the first row of the data list. After that, to apply the filter you need to select a cell in the data list and click the Advanced button  of the Sort & Filter panel on the ribbons's Data tab. This shows a dialog where you have to enter the range of the data list (usually Excel auto recognise it), the range of the filter criteria and click OK. Excel will apply the logical formula to every row of the data list and show only the records where the formula returns TRUE.

Example This [animation](#) shows how to filter the students with an average grade greater than or equal to 5, and a number of passed credits over the average, in a students database, using a calculated criteria. Observe how is used the data list name and the field name to reference the column of passed credits in the average calculation.

5.6.3 Clear a filter

To clear an active filter in a data list click the AutoFilter button of the column with the active filter and select the option Clear Filter. After that Excel will show all the records hidden by the removed filter, but the rest of filters will continue active. To clear all the filters in a data list, select a cell of the data list and then click the Clear button of the Sort & Filter panel on the ribbons's Data tab. This will show all the records of the data list.

5.7 Database functions

Excel have some predefined functions that can be applied to data list. Some of them apply other function only to records in a data list that match a criteria you specify.

5.7.1 Define a criteria

The criteria must be defined in a range and must include at least one header with a field name that indicates the field whose values are to be evaluated and one cell just below with the value or expression to be used in the evaluation. The expression with the condition is a text string starting with a logical comparator (=,>,<,>=,<=,<>) or a pattern text with wildcards like the question mark ? (that matches any character) or the asterisk * (that matches any character string). You can specify multiple conditions in different columns. If you want to apply the function to all the records of the data list, just leave the cell with the criteria conditions blank.

5.7.2 DSUM function

The DSUM function sums the values in a numeric field (column) of records in a data list that match the criteria you specify. Its syntax is `DSUM(database,field,criteria)`, where *database* is the range of the data list, *field* is the name of the field that contains the values to add up (it must be a numeric column) enclosed in double quotes, and *criteria* is the range that contains the criteria with the conditions you specify.

Example This [animation](#) shows how to sum the passed credits of students from Madrid born in 1994 or after with an average grade greater or equal to 6, in a students database.

5.7.3 DCOUNT function

The DCOUNT function counts the values in a numeric field (column) of records in a data list that match the criteria you specify. Its syntax is `DCOUNT(database,field,criteria)`, where *database* is the range of the data list, *field* is the name of the field that contains the values to add up (it must be a numeric column) enclosed in double quotes, and *criteria* is the range that contains the criteria with the conditions you specify.

Example This [animation](#) shows how to count the students with an average grade greater than or equal to 6 whose name begins with L, in a students database.

5.7.4 DMIN function

The DMIN function returns the minimum in a numeric field (column) of records in a data list that match the criteria you specify. Its syntax is `DMIN(database,field,criteria)`, where *database* is the range of the data list, *field* is the name of the field that contains the values to add up (it must be a numeric column) enclosed in double quotes, and *criteria* is the range that contains the criteria with the conditions you specify.

5.7.5 DMAX function

The DMAX function returns the maximum in a numeric field (column) of records in a data list that match the criteria you specify. Its syntax is `DMAX(database,field,criteria)`, where *database* is the range of the data list, *field* is the name of the field that contains the values to add up (it must be a numeric column) enclosed in double quotes, and *criteria* is the range that contains the criteria with the conditions you specify.

Example This [animation](#) shows how to calculate the minimum and the maximum average grade of students from Madrid born before 1995, in a students database.

5.7.6 DAVERAGE function

The DAVERAGE function averages the values in a numeric field (column) of records in a data list that match the criteria you specify. Its syntax is `DAVERAGE(database,field,criteria)`, where *database* is the range of the data list, *field* is the name of the field that contains the values to add up (it must be a numeric column) enclosed in double quotes, and *criteria* is the range that contains the criteria with the conditions you specify.

Example This [animation](#) shows how to average the average grades of students from Madrid born in 1994 or after with an average grade greater or equal to 6, in a students database.

5.7.7 DSTDEVP function

The DSTDEVP function calculates the standard deviation the values in a numeric field (column) of records in a data list that match the criteria you specify. Its syntax is `DSTDEVP(database,field,criteria)`, where *database* is the range of the data list, *field* is the name of the field that contains the values to add up (it must be a numeric column) enclosed in double quotes, and *criteria* is the range that contains the criteria with the conditions you specify.

Example This [animation](#) shows how to calculate the standard deviation of average grades of students from Madrid born in Madrid before 1995, in a students database.

5.7.8 DGET function

The DGET returns the value of field (column) in the record of a data list that match the criteria you specify. Its syntax is `DGET(database,field,criteria)`, where *database* is the range of the data list, *field* is the name of the field that contains the values to return enclosed in double quotes, and *criteria* is the range that contains the criteria with the conditions you specify.

If no record satisfy the criteria, the function returns a `VALUE!` error, and if more than one records satisfy the criteria the functions return a `NUM!` error.

Example This [animation](#) shows how to find the student with the highest grade in a student database.

Other functions allow to search values in a list or table.

5.7.9 VLOOKUP and HLOOKUP functions

The VLOOKUP function finds things in a table or list by row. Its syntax is `VLOOKUP (value, table, col-index, [approx-match])`, where *value* is the value you want to look up, *table* is the range of the table or list in which to perform the search, *col-index* is the the column number (starting with 1 for the left-most column of *table* range) that contains the return value, and *approx-match* is an optional logical argument that specifies whether to find an approximate match (TRUE by default) or an exact match (FALSE). The function looks the *value* argument up in the first column of the *table* argument. If the *approx-match* argument is TRUE, the *table* should be ordered by the first column (the column where to look the *value* up) and the function will return the value of the *col-index* column in the same row that the closest value to *value* in the first column of the *table* range. If *approx-match* is false, the function will search for the exact value in the first column and it will return the value of the *col-index* column in the same row that the first matched value in the first column. If no value in the first column matches the *value* argument, the function will return a #N/A error.

Example This [animation](#) shows how to look the phone up of a student in a students database.

The HLOOKUP function works like the VLOOKUP function but it performs a search by columns. Its syntax is `HLOOKUP (value, table, row-index, [approx-match])`, where *value* is the value you want to look up, *table* is the range of the table or list in which to perform the search, *row-index* is the the row number (starting with 1 for the top-most row of *table* range) that contains the return value, and *approx-match* is an optional logical argument that specifies whether to find an approximate match (TRUE by default) or an exact match (FALSE).